
1 2 3 4 5
400-800mm
1 2
FG 40mm
1 2 3
FG 8-11mm
1 2 3 4
kg
40

opk PERFECT FG CENTER FOLDING DOOR

SURFACE MOUNTING

Technical Drawing

	Door weight	Door width	Door thickness	Glass thickness
FG	≤40	400-680	40	8-11







opk PERFECT FG CENTER FOLDING DOOR

CONCEALED MOUNTING

Technical Drawing

	Door weight	Door width	Door thickness	Glass thickness
FG	≤40	400-680	40	8-11





opk PERFECT FG CENTER FOLDING DOOR

SURFACE MOUNTING

Left Opening Door

Kit Configuration

opk Perfect Running track with covers		3500mm	04-000-102-035	1	1
opk Perfect FG Folding door (Open towards left) (swing arm + side panel fitting)		400-680mm	04-000-101-013	1	1
opk Perfect FG Folding set for lock			04-000-101-011	2	4
opk Perfect FG Set for single door			04-000-101-010	1	3
opk Perfect FG folding wall cover		3000mm	04-F00-102-004	1	1

opk PERFECT FG CENTER FOLDING DOOR

SURFACE MOUNTING

Left Opening Door

Kit Configuration

opk Perfect FG folding door frame A		3000mm	04-F00-102-001	1	1
opk Perfect FG folding door frame B		3000mm	04-F00-102-002	1	1
opk Perfect FG folding door frame single door		3000mm	04-F00-102-003	1	3

opk PERFECT FG CENTER FOLDING DOOR

SURFACE MOUNTING

Tracks, Accessories

Upper Track	 1.33kg/m	*Anodized aluminium*	6000mm	04-005-102-001	ON DEMAND
Track Bottom Cover--Side (40 & 45 Door Thickness)	0.07kg/m	*Anodized aluminium*	6000mm	04-005-102-013	ON DEMAND
Track Cover For Surface Mounting	0.23kg/m	*Anodized aluminium*	6000mm	04-005-102-002	ON DEMAND
Track Shock-Absorption Rubber Strip		*Rubber*	600m/Roll	04-099-100-002	ON DEMAND
Track Cover Clip		*Plastic*	1pc Every 300mm	04-099-100-001	ON DEMAND

opk PERFECT FG CENTER FOLDING DOOR

CONCEALED MOUNTING

Tracks, Accessories

Upper Track	 1.33kg/m	*Anodized aluminium*	6000mm	04-005-102-001	ON DEMAND
Track Cover For Concealed Mounting	 0.13kg/m	*Anodized aluminium*	6000mm	OPK-A3103	ON DEMAND
Track Shock-Absorption Rubber Strip		*Rubber*	600m/Roll	04-099-100-002	ON DEMAND
Track Cover Clip		*Plastic*	1pc Every 300mm	04-099-100-001	ON DEMAND

opk PERFECT FG CENTER FOLDING DOOR

Door, Accessories

Up/Bottom Frame		0.76kg/m	*Anodized aluminium*	6000mm	04-005-102-005	ON DEMAND
Internal Vertical Frame		0.55kg/m	*Anodized aluminium*	6000mm	04-005-102-006	ON DEMAND
Vertical Frame		0.28kg/m	*Anodized aluminium*	6000mm	04-005-102-007	ON DEMAND
Vertical Frame		0.28kg/m	*Anodized aluminium*	6000mm	04-005-102-014	ON DEMAND
Dividing Bar		0.64kg/m	*Anodized aluminium*	6000mm	04-000-102-016	
Dividing Bar		0.16kg/m	*Anodized aluminium*	6000mm	04-000-102-013	
Rubber Strip For 8 mm Glass			*PVC*	3000mm	04-099-100-006	
or **Rubber Strip For 9 mm Glass**			*PVC*	3000mm	04-099-100-900	
Rubber Strip For 10 mm Glass			*PVC*	3000mm	04-099-100-135	ON DEMAND
Vertical Frame Cover Rubber Strip			*Rubber*	500m/Roll	04-099-100-021	ON DEMAND
Internal Hexagon Self-Tapping Screw - M4X18		8 pcs Each Door	*Nickel Plated*	-	04-099-100-007	

ASSEMBLY KIT

COMPLICATED?

THAT WAS YESTERDAY.

01. Extended bit to connect the aluminium frames.
02. Drilling pattern to set the drilling points in the profiles.
03. Drill to make the holes in the profiles.

opk PERFECT FG CENTER FOLDING DOOR

Door Opening Cover, Accessories

Vertical Door Opening Cover- Magnetic Side	 0.73kg/m	*Anodized aluminium*	6000mm	04-005-102-015	ON DEMAND
Vertical Door Opening Cover	 0.53kg/m	*Anodized aluminium*	6000mm	04-005-102-016	ON DEMAND
Rubber Strip		*Rubber*	140m/Roll	OPK-A426	ON DEMAND
Adjust Top Screw		*Nickel Plated*	-	OPK-A520	ON DEMAND
Adjust Top Screw Rubber Washer		Plastic	-	OPK-A521	ON DEMAND